RESOLUTION NO. 24-14

A RESOLUTION OF THE CITY OF PANAMA CITY BEACH, FLORIDA, APPROVING THE PURCHASE OF A CHEVROLET SILVERADO 3500 TRUCK FROM ALAN JAY FLEET SALES FOR THE UTILITIES DEPARTMENT IN THE TOTAL AMOUNT OF \$65,641.00; AND AGREEING TO BE BOUND BY THE TERMS AND CONDITIONS OBTAINED IN THE CITY OF TALLAHASSEE'S AGREEMENT GOVERNING THAT PURCHASE.

BE IT RESOLVED by the City Council of the City of Panama City Beach that:

- 1. The appropriate officers of the City are authorized to execute and deliver on behalf of the City that certain proposal between the City and Alan Jay Automotive Management, Inc. d/b/a Alan Jay Fleet Sales, relating to the purchase of one Chevrolet Silverado 3500HD Truck in the amount of Sixty-Five Thousand Six Hundred and Forty-One Dollars (\$65,641.00) in substantially the form attached as Exhibit A and presented to the Council today, with such changes, insertions or omissions as may be approved by the City Manager and whose execution shall be conclusive evidence of such approval.
- 2. By accepting the proposal referenced above, the City agrees to be bound to the same terms and conditions as were obtained by the City of Tallahassee, through an advertised, competitive bidding process, Contract No. 5179 in the form **attached** as Exhibit B.

THIS RESOLUTION shall be effective immediately upon passage.

PASSED in regular session this <u>av*</u>day of October, 2023.

CITY OF PANAMA CITY BEACH

3y: ____

lark Sheldon, Mayor

ATTEST:

Lynne Fasone, City Clerk



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

 PHONE (800) ALANJAY (252-6529)
 DIRECT 863-402-4234
 WWW.ALANJAY.COM 48939-4

 Corporate Office Office
 2003 U.S. 27 South Sebring, FL 33870
 MOBILE 863-273-1105 Mailing Address
 P.O. BOX 9200 Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 10/4/2023

MODEL

QUICK QUOTE SHEET

REVISED QUOTE DATE 10/9/2023

\$46,700.00

 REQUESTING AGENCY
 PANAMA CITY BEACH, CITY OF

 CONTACT PERSON
 LEAH BAILEY
 EMAIL
 Leah.Bailey@pcbfl.gov

 PHONE
 850-233-5100 Ext. 2420
 MOBILE
 850-866-9217
 FAX

CONTRACT NUMBER 5179 - 2024 CITY OF TALLAHASSEE

CK31403 1WT MSRP

2024 CHEVY SILVERADO 3500HD REG CAB CHASSIS 4WD DRW 84"CA

WORK TRUCK

CUSTOMER ID GOVERNMENT PRICE \$45,318.00

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
GAZ	Summit White	\$0.00
H2G	Jet Black, Vinyl seat trim	\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline	\$0.00
MKM	Transmission, Allison 10-Speed automatic	\$0.00
1WT	OPTIONS Work Truck Preferred Equipment Group	\$0.00
5N5	Rear Camera Kit.	\$73.00
9L3	Spare tire delete	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GT4	Rear axle, 3.73 ratio	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo	\$0.00
PYW	Wheels, 17" (43.2 cm) painted steel	\$0.00
QZT	Tires, LT235/80R17E all-terrain, blackwall	\$0.00
VQO	LPO, Black work step	\$495.00
D ZLQ	CUSTOM EQUIPMENT REG CAB WT Fleet Convenience Package includes (K34) Cruise Control and (DBG) power trailer mirrors with heated upper glass and manual extending/folding(Requires Fleet or Government order. Not available with (PCV) WT Convenience Package.)	\$1,200.00

AFTERMARKET OPT	TIONS DESCRIPTION	
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
DVA 132ADW	11' Reading Classic II DRW utility body reading Classic II factory powder coated white with SST Paddle Latches (Includes 2nd stage MSO, weight slip, & final-stage manufacturers completed vehicle certification.) Req's 84" CA dual rear wheel	\$16,250.00
CAMERA-GM	Dealer installed factory ordered camera (REQUIRES 5N5).	\$215.00
DVA CLIV	Class IV Trailer Hitch and 7-pin round wire harness.	\$825.00
HD USOB-11-TB	HD Scorpion spray on bed liner applied inside cargo area, tops of boxes, and rear bumper of 11' utility body.	\$1,265.00

AFTERMARKET OPTIONS

FACTORY OPTIONS

\$18,555.00

\$1,768.00



CONTRACT NUMBER 5179 - 2024 CITY OF TALLAHASSEE TRADE IN TOTAL COST \$65,641.00 YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~ **TOTAL COST LESS TRADE IN(S)** QTY 1 \$65,641.00 Estimated Annual payments for 60 months paid in advance: \$14,700.88 Municipal finance for any essential use vehicle, requires lender approval, WAC. Comments ORDERED UNIT VIN: [VIN NA] VEHICLE QUOTED BY **ASHLEE WILSON** GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com "I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.

156



Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2024 Chevrolet Silverado 3500HD CC (CK31403) 4WD Reg Cab 171" WB, 84.5" CA Work

MSRP:\$47,700.00

Interior: Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline

Transmission, Allison 10-Speed automatic

OPTIONS		
CODE	MODEL	MSRP
CK31403	[Fleet] 2024 Chevrolet Silverado 3500HD CC (CK31403) 4WD Reg Cab 171" WB, 84.5" CA Work Truck	\$47,700.00
	OPTIONS	
1WT	Work Truck Preferred Equipment Group	\$0.00
5N5	Rear Camera Kit.	\$73.00
9L3	Spare tire delete	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GAZ	Summit White	\$0.00
GT4	Rear axle, 3.73 ratio	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023 F 157



H2G	Jet Black, Vinyl seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo	\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline	\$0.00
МКМ	Transmission, Allison 10-Speed automatic	\$0.00
PYW	Wheels, 17" (43.2 cm) painted steel	\$0.00
QZT	Tires, LT235/80R17E all-terrain, blackwall	\$0.00
VQO	LPO, Black work step	\$495.00
	CUSTOM EQUIPMENT	
O ZLQ	REG CAB WT Fleet Convenience Package includes (K34) Cruise Control and (DBG) power trailer mirrors with heated upper glass and manual extending/folding(Requires Fleet or Government order. Not available with (PCV) WT Convenience Package.)	\$1,200.00
	SUBTOTAL	\$49,468.00
	Adjustments Total	\$0.00
	Destination Charge	\$1,995.00
	TOTAL PRICE	\$51,463.00

FUEL ECONOMY

Est City: N/A

Est Highway: N/A

Est Highway Cruising Range: N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

^F158

Standard Equipment

Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Auto-locking rear differential
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed, electronic shift with push button controls (Requires 4WD models.)
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Body, Chassis Cab
	Frame, fully-boxed, hydroformed front section and an open "C" rear section
	GVWR, 14,000 lbs. (6350 kg)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Fuel tank, front and rear, 63.5 gallon
	Capped Fuel Fill
Exterior	
	Wheels, 17" (43.2 cm) painted steel
	Tires, LT235/80R17E all-terrain, blackwall
	Dual Rear Wheels
	Wheel trim, painted center caps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023 F 159



Exterior	
	Bumpers, front, Black
	Bumper, rear, delete
	Moldings, beltline, Black
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, Smoked Amber roof marker, (LED)
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Vinyl seat trim
	Floor covering, rubberized-vinyl
	Steering wheel, urethane
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Compass, located in instrument cluster

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

^F160



Interior	
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Brake lining wear indicator
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
	Back-up alarm calibration. This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting (Not available with (8S3) Back-up alarm.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian Braking
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Following Distance Indicator
	Forward Collision Alert
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

F 161



Alan Jay Fleet Sales

Chris Wilson | 863-402-4234 | chris.wilson@alanjay.com

Vehicle: [Fleet] 2024 Chevrolet Silverado 3500HD CC (CK31403) 4WD Reg Cab 171" WB, 84.5" CA Work Truck (

✓ Complete)

Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)

3 Years of Remote Access The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5

Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

F162

Technical Specifications

Po	Powertrain				
Ti	ransmission				
	Drivetrain	Four Wheel Drive	Trans Order Code	MKM	
	Trans Type	10	Trans Description Cont.	Automatic	
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A	
	Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A	
	Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A	
	Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	4.54	
	Clutch Size	N/A	Trans Power Take Off	N/A	
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6	
	Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72	
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A	
	Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A	
	Tenth Gear Ratio (:1)	N/A			
M	ileage				
	EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A	
	EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A	
	Cruising Range - Hwy	N/A	Estimated Battery Range	N/A	
Er	ngine				
	Engine Order Code	L8T	Engine Type	Gas V8	
	Displacement	6.6L/-TBD-	Fuel System	Direct Injection	
	SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000	
	Engine Oil Cooler	Yes			
El	ectrical				
	Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A	
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170	

Aug 25, 2023

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

owertrain			
Cooling System			
Total Cooling System Capacity	N/A		
'ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
hassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	10400 lbs	Curb Weight - Front	3911 lbs
Curb Weight - Rear	2543 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1289.00 lbs
Reserve Axle Capacity - Rear	7857.00 lbs	As Spec'd Curb Weight	6454.00 lbs
As Spec'd Payload	7546.00 lbs	Maximum Payload Capacity	7546.00 lbs
Gross Combined Wt Rating	26000 lbs	Gross Axle Weight Rating	15600.00 lbs
Curb Weight	6454.00 lbs	Reserve Axle Capacity	9146.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	14000.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Frame			
Frame Type	Hydroformed Fully -Boxed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

Spring Capacity - Front N/A Spring Capacity - Rear N/A Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Tires Front Tire Order Code QZT Rear Tire Order Code QZT	hassis			
Independent Three-Stage i-Leaf Spring Spring Capacity - Front N/A Spring Capacity - Rear N/A Axle Type - Front N/A Axle Type - Rear N/A Axle Type - Front N/A Axle Capacity - Front N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17E Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 17 x - TBD - in Rear Wheel Size 17 x - TBD - in Spare Wheel Material Steel Spare Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pur Recirculating Steering Ratio (:1), Overall N/A Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Look N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pur Brake ABS System 4-Wheel	Suspension			
Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17 Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material Steel Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pwr Brake ABS System 4-Wheel	Suspension Type - Front		Suspension Type - Rear	Three-Stage Mul
Axle Capacity - Front N/A Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17E Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Wheels Front Wheel Size 17 x -TBD- in Rear Wheel Size 17 x -TBD- in Spare Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brake Type Pwr Brake ABS System 4-Wheel	Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Tires Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17 Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Size N/A Rear Wheel Material Steel Spare Wheel Material Steel Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pwr Brake ABS System 4-Wheel	Axle Type - Front	N/A	Axle Type - Rear	N/A
Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Tires Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17 Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Vineels Front Wheel Size 17 x -TBD- in Rear Wheel Size 17 x -TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pwr Brake ABS System 4-Wheel	Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Stabilizer Bar Diameter - Front 1.38 in Stabilizer Bar Diameter - Rear N/A Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17E Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material Steel Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Frakes Brake Type Pwr Brake ABS System 4-Wheel	Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Front Tire Order Code QZT Rear Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17 Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material Steel Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pwr Brake ABS System 4-Wheel	Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Front Tire Order Code QZT Spare Tire Order Code N/A Front Tire Size LT235/80R17 Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Size 17 x - TBD- in Spare Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brakes Brake Type Pwr Brake ABS System 4-Wheel	Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Spare Tire Order Code N/A Front Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Spare N/A Revolutions/Mile @ 45 mph - Spare N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 17 x -TBD- in Spare Wheel Size 17 x -TBD- in Spare Wheel Material Steel Spare Wheel Material Steel Spare Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall Ball Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brake Brake Type Pwr Brake ABS System 4-Wheel	Tires			
Rear Tire Size LT235/80R17E Spare Tire Size N/A Front Tire Capacity N/A Rear Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Strakes Brake Type Pwr Brake ABS System 4-Wheel	Front Tire Order Code	QZT	Rear Tire Order Code	QZT
Front Tire Capacity N/A Rear Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Spare N/A Revolutions/Mile @ 45 mph - Front N/A Front Wheel Size 17 x - TBD- in Rear Wheel Size 17 x - TBD- in Spare Wheel Material Steel Spare Wheel Material N/A Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), Overall N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Parakes Brake Type Pwr Brake ABS System 4-Wheel	Spare Tire Order Code	N/A	Front Tire Size	LT235/80R17E
Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Spare N/A Revolutions/Mile @ 45 mph - Spare N/A Pront Wheel Size Front Wheel Size 17 x -TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Stanta Abs System 4-Wheel	Rear Tire Size	LT235/80R17E	Spare Tire Size	N/A
Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Vheels Front Wheel Size 17 x -TBD- in Rear Wheel Size 17 x -TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A teering Steering Type Pwr Recirculating Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A rakes Brake Type Pwr Brake ABS System 4-Wheel	Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Front Wheel Size 17 x -TBD- in Rear Wheel Size 17 x -TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Stakes Brake Type Pwr Brake ABS System 4-Wheel	Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Front Wheel Size 17 x -TBD- in Rear Wheel Size 17 x -TBD- in Spare Wheel Size N/A Front Wheel Material Steel Rear Wheel Material Steel Spare Wheel Material N/A Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A strakes Brake Type Pwr Brake ABS System 4-Wheel	Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Spare Wheel Size Rear Wheel Material Steel Spare Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Stakes Brake Type Pwr Brake ABS System 4-Wheel	Vheels			
Rear Wheel Material Steel Spare Wheel Material N/A Steering Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Stakes Brake Type Pwr Brake ABS System N/A	Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Steering Ratio (:1), At Lock Turning Diameter - Wall to Wall N/A Parakes Brake Type Pwr Brake ABS System 4-Wheel	Spare Wheel Size	N/A	Front Wheel Material	Steel
Steering Type Pwr Recirculating Ball Steering Ratio (:1), Overall N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brake Type Pwr Brake ABS System 4-Wheel	Rear Wheel Material	Steel	Spare Wheel Material	N/A
Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brake Type Pwr Brake ABS System 4-Wheel	teering			
Turning Diameter - Curb to Curb 54.0 ft Turning Diameter - Wall to Wall N/A Brakes Brake Type Pwr Brake ABS System 4-Wheel	Steering Type	_	Steering Ratio (:1), Overall	N/A
Brake Type Pwr Brake ABS System 4-Wheel	Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Brake Type Pwr Brake ABS System 4-Wheel	Turning Diameter - Curb to Curb	54.0 ft	Turning Diameter - Wall to Wall	N/A
<u></u>	rakes			
Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes	Brake Type	Pwr	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Aug 25, 2023

akes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14 x 1.6 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	63.5 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Front & Rear	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	3	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.06 in
Front Hip Room	60.09 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
xterior Dimensions			
Wheelbase	171 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	264.24 in
Width, Max w/o mirrors	80.84 in	Height, Overall	80.1 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	126.55 in	Cab to Axle	84.5 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	89.15 in
Ground Clearance, Front	8.15 in	Ground Clearance, Rear	8.15 in
Body Length	0.00 ft	Cab to Body	N/A
argo Area Dimensions			
Cargo Box Width @ Top, Rear	N/A	Cargo Box Width @ Floor	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.

Dimensions			
Cargo Area Dimensions			
Tailgate Width	N/A	Cargo Volume	N/A
Ext'd Cab Cargo Volume	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 20277. Data Updated: Aug 24, 2023 6:40:00 PM PDT.