

RESOLUTION 17-08

A RESOLUTION OF THE CITY OF PANAMA CITY BEACH, FLORIDA, APPROVING AN AGREEMENT WITH POOL WORLD, INC. IN THE AMOUNT OF \$28,545.97 FOR THE PURCHASE OF 10 SWIMMING POOL COVERS.

BE IT RESOLVED that the appropriate officers of the City are authorized but not required to accept and deliver on behalf of the City that certain Agreement between the City and Pool World, Inc., relating to purchase of 10 swimming pool covers, in the basic amount of Twenty Eight Thousand, Five Hundred Forty Five Dollars and Ninety Seven Cents (\$28,545.97), in substantially the form attached and presented to the Council today, with such changes, insertions or omissions as may be approved by the City Manager and whose execution shall be conclusive evidence of such approval.


THIS RESOLUTION shall be effective immediately upon passage.

PASSED in regular session this 27th day of October, 2016.

CITY OF PANAMA CITY BEACH

By: 
Mike Thomas, Mayor

ATTEST:


Diane Fowler, City Clerk



CITY OF PANAMA CITY BEACH AGENDA ITEM SUMMARY

1. DEPARTMENT MAKING REQUEST/NAME:

Parks and Recreation

2. MEETING DATE:

October 27, 2016

3. REQUESTED MOTION/ACTION:

Staff's recommendation is to approve most responsive bid from Pool World in the amount of \$28, 545.97.

4. AGENDA

PRESENTATION
PUBLIC HEARING
CONSENT
REGULAR

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

5. IS THIS ITEM BUDGETED (IF APPLICABLE)? YES NO

N/A

BUDGET AMENDMENT OR N/A

DETAILED BUDGET AMENDMENT ATTACHED YES NO

N/A

6. BACKGROUND: (WHY IS THE ACTION NECESSARY, WHAT GOAL WILL BE ACHIEVED)

On October 18, 2016, Staff received four (4) sealed bids for the purchase of ten (10) Swimming Pool Covers. Out of the four (4) bids only one (1) bid was determined a responsive bidder per the specifications of the bid packet. Please see attachment.

This purchase has been budgeted in the adopted 2016-2017 Budget.

The City Attorney, City Manager and Finance Director have reviewed and approve the recommendation to purchase ten (10) pool covers from Pool World in the amount of \$28,545.97.

10/18/16

Pool covers

CITY OF PANAMA CITY BEACH
BID TABULATION

NOTES
 Non Responsive
 1. DIFFERENT
 POOL COVER

YES RESPONSIVE
 BID

NON RESPONSIVE
 1. DIFFERENT
 POOL COVER
 2. WRONG SIZE

Non Responsive
 ① BID NOT RECEIVED
 BID PROPOSAL
 FORM
 2. NO PHONE #
 3. NO EMAIL

Bidder	Address	Information	Price
Alta Enterprises			\$25,4000
Pool World		10,000 Deposit TStar	\$28,545.97
Lifeguard Store			\$18,049.00
American Pool Service			\$28,532.39

BID PROPOSAL FORM

TO: City of Panama City Beach, Florida

SUBMITTED: October 18, 2016.

10 Swimming Pool Covers

The Undersigned, as Bidder, hereby declares that they have examined the bid specifications and informed themselves fully in regard to all conditions pertaining to the equipment to be supplied.

The Bidder proposes and agrees, if this proposal is accepted, to contract with the **City of Panama City Beach** for the lump sum prices listed, in full and complete accordance with the shown, noted, described and reasonably intended requirements of the specifications to the full and entire satisfaction of the City of Panama City Beach, Florida, with a definite understanding that no additional money will be allowed for any and all additions. Payment in full will be made to the supplier within 30 days of delivery. The Bidder further proposes and agrees hereby to deliver the 10 Pool covers by No Later than December 1, 2016.

Purchase will be made under terms and conditions specified by City in its form of Purchase Order. If a deposit is required, it must be specified below. Final payment, in readily available funds, will be made upon acceptance by City of strictly conforming goods after delivery. Strict adherence to design specifications is required.

ADDENDUM ACKNOWLEDGMENT: (Only if addendums have been provided).

I, the undersigned bidder, hereby acknowledge receipt of the following addenda:

Addendum No. None Addendum No. None

LUMP SUM BID PRICE:

Lump sum price for all 10 Swimming Pool Covers including delivery costs in accordance with the contract Specifications:

\$ 28,545.97

Specify Manufacturer and Model # of materials.

(10) T-Star "Energy Saver" XER Swimming Pool Covers Yes Connect 10-16'-0" X 75'1"

Specify terms of any deposit: \$10,000⁰⁰ Deposit by check due 10/25/16

SUPPLIER: Pool World Inc

BY: Manic W Henderson TITLE: Gen Mgr

ADDRESS: 13524 E Sprague Ave CITY: Spokane Valley STATE: WA ZIP: 99216

EMAIL ADDRESS: Manich@poolworld.biz PHONE: 509 928-6585

SIGNATURE – (Confirming all information above is correct) Pool World Inc


SPECIFICATIONS

SWIMMING POOL COVERS

CITY OF PANAMA CITY BEACH, FLORIDA

September 30, 2016

NOTICE TO RECEIVE SEALED BIDS

10 Swimming Pool Covers

The City of Panama City Beach hereby solicits sealed bids for 10 Swimming Pool Covers.

Sealed bids will be received until 2:00PM Central Time, October 18, 2016 at the City of Panama City Beach City Hall Annex, 110 S Arnold Road, Panama City Beach, Florida 32413 and will be opened and publicly read immediately thereafter. All Bids shall be submitted in an envelope clearly marked "Sealed Bid- Panama City Beach – SWIMMING POOL COVERS".

Copies of the specifications may be obtained from the Parks & Recreation Office at 16200 PCB Parkway or on the City's Website at www.pcbgov.com. The point of contact for obtaining specifications is Cheryl Joyner, email address cjoyner@pcbgov.com. No specifications will be issued to suppliers later than seventy-two (72) hours prior to the time indicated above for receiving bids.

Bids must be submitted upon the standard form contained in the Specifications.

The City reserves the right to reject any and all bids and to waive any informality in bids received. All bidders shall comply with all applicable state and local laws concerning licensing, registration, and regulations of businesses in the state of Florida.

All Bids shall be firm for a period of 60 days after opening.

BID PROPOSAL FORM

TO: City of Panama City Beach, Florida

SUBMITTED: _____, 2016.

10 Swimming Pool Covers

The Undersigned, as Bidder, hereby declares that they have examined the bid specifications and informed themselves fully in regard to all conditions pertaining to the equipment to be supplied.

The Bidder proposes and agrees, if this proposal is accepted, to contract with the **City of Panama City Beach** for the lump sum prices listed, in full and complete accordance with the shown, noted, described and reasonably intended requirements of the specifications to the full and entire satisfaction of the City of Panama City Beach, Florida, with a definite understanding that no additional money will be allowed for any and all additions. Payment in full will be made to the supplier within 30 days of delivery. The Bidder further proposes and agrees hereby to deliver the 10 Pool covers by No Later than December 1, 2016.

Purchase will be made under terms and conditions specified by City in its form of Purchase Order. If a deposit is required, it must be specified below. Final payment, in readily available funds, will be made upon acceptance by City of strictly conforming goods after delivery. Strict adherence to design specifications is required.

ADDENDUM ACKNOWLEDGMENT: (Only if addendums have been provided).

I, the undersigned bidder, hereby acknowledge receipt of the following addenda:

Addendum No. _____ Addendum No. _____

LUMP SUM BID PRICE:

Lump sum price for all 10 Swimming Pool Covers including delivery costs in accordance with the contract Specifications:

\$ _____

Specify Manufacturer and Model # of materials.

(10) T-Star "Energy Saver" XER Swimming Pool Covers _____

Specify terms of any deposit: _____

SUPPLIER: _____

BY: _____ **TITLE:** _____

ADDRESS: _____ **CITY:** _____ **STATE:** _____ **ZIP:** _____

EMAIL ADDRESS: _____ **PHONE:** _____

SIGNATURE – (Confirming all information above is correct) _____

10 Swimming Pool Covers

PART 1 -GENERAL SPECIFICATIONS

1.1 General:

- a. **10 Energy Saver XER Series T-Star Swimming Pool Covers**
- b. **Each cover will be 16' x 75' ", No Cut Outs**
- c. **XER Energy Saver Custom Covers include: (Exhibit B)**
 - Blue/Black 12 x 10 Count Laminated Foam
 - Black Weighted Edging
 - Reinforced Brass Grommets
 - Heavy Duty Cord Dowel Pullers
 - Lockstitch Seams
- d. **Freight – It is recommended to use Old Dominion Shipping as they have a good working relationship with T-Star, however any Shipping company may be used. Freight and Shipping costs to be included in the lump sum bid price.**
- e. **All 10 XER Swimming Pool covers need to be delivered by December 1, 2016.**
- f. **There must be a six (6) year (3 year full and 3 year pro rated) warranty for “EnergySaver” XER Swimming Pool Covers (Exhibit C)**
- g. **The City is tax exempt and a copy of certificate of exemption is attached as (Exhibit A)**
- h. **Pictures of the Panama City Beach Aquatics Center (Exhibit D)**

EXHIBIT A

Certificate of Tax Exemption

EXHIBIT B

Energy Saver XER Pictures and Product Features

EXHIBIT C

Six (6) year (3 year full and 3 year pro-rated warranty) for “EnergySaver” XER Pool Covers

EXHIBIT D

Pictures of the Panama City Beach Aquatics Center

BID PROPOSAL FORM

TO: City of Panama City Beach, Florida

SUBMITTED: OCT 11TH, 2016.

10 Swimming Pool Covers

The Undersigned, as Bidder, hereby declares that they have examined the bid specifications and informed themselves fully in regard to all conditions pertaining to the equipment to be supplied.

The Bidder proposes and agrees, if this proposal is accepted, to contract with the **City of Panama City Beach** for the lump sum prices listed, in full and complete accordance with the shown, noted, described and reasonably intended requirements of the specifications to the full and entire satisfaction of the City of Panama City Beach, Florida, with a definite understanding that no additional money will be allowed for any and all additions. Payment in full will be made to the supplier within 30 days of delivery. The Bidder further proposes and agrees hereby to deliver the 10 Pool covers by No Later than December 1, 2016.

Purchase will be made under terms and conditions specified by City in its form of Purchase Order. If a deposit is required, it must be specified below. Final payment, in readily available funds, will be made upon acceptance by City of strictly conforming goods after delivery. Strict adherence to design specifications is required.

ADDENDUM ACKNOWLEDGMENT: (Only if addendums have been provided).

I, the undersigned bidder, hereby acknowledge receipt of the following addenda:

Addendum No. _____ Addendum No. _____

LUMP SUM BID PRICE:

Lump sum price for all 10 Swimming Pool Covers including delivery costs in accordance with the contract Specifications: ALTA COVERS ONLY / NOT STOP 5000 SERIES
\$ 25,400.00

Specify Manufacturer and Model # of materials

(10) T-Star "Energy Saver" XER Swimming Pool Covers ALTA ENTERPRISES
SEE ATTACHED SPECIFICATIONS

Specify terms of any deposit: KID DEPOSIT

SUPPLIER: ALTA ENTERPRISES

BY: MARC JACUZZI TITLE: MFG-REP

ADDRESS: 1545 N BUSTLE CREEK ROAD CITY: ALTA STATE: FL ZIP: 33414

EMAIL ADDRESS: MARC.JACUZZI@COMCAST.NET PHONE: 904-385-6058

SIGNATURE - (Confirming all information above is correct) 



ALTA

ENTERPRISES, INC.
(800) 624-1235

1910 BUSTLE CREEK RD
ALTA, WYOMING 83414

(307) 353-2407

HOT-STOP

SERIES 5000 INSULATED THERMAL SWIMMING POOL COVERS

Description: Floating, non-safety, insulated swimming pool cover used to provide water and chemical evaporation reduction as well as heat retention.

1.1 Blanket Material

1.1.1 Three (3) layer composite, laminated material consisting of Volara 2A foam middle layer protected on both sides by a woven outer layer. Finished material shall be blue in color on both sides.

1.1.2 Outer layers shall be a woven, black, high-density, ultra-violet stabilized polyethylene substrate coated with a 4.0 mils of blue Low-density polyethylene film. Substrate density shall be measured per square inch.

1.1.3 Middle Layer shall be 0.120" thick, cross-linked, 2 pound per cubic foot Volara 2A polyethylene foam.

1.1.4 The material shall have a R-Factor of 4.144

2.1 Physical Properties - Laminated Blanket Material

Specification Units ASTM Test Method

2.1.1 Weave/Weight 12 x 12/7.3 oz/yd² N/A

2.1.2 Foam Density 2.0 lbs./ft³ N/A

2.1.3 Foam Thickness 0.120 in. N/A

2.1.4 Tensile Strength 500/480 lbs. (Warp/Fill) D-5034

2.1.5 Mullen Burst 980 psi D-3786

2.1.6 Tongue Tear 140 lb/150 lb (Warp/Fill) D-5884

2.1.7 Trapezoidal Tear 140 lb/130 lb D-4533

2.1.8 Thickness of Woven Fabric (prior to lamination) 15 mil (.40mm) (±10%) D-1777

2.1.9 'R' Value 4.144 N/A

2.1.11 Service Temperature -40 to +160 N/A

2.1.12 Accelerated Weathering >90% strength retention after 2000 hours G-154-06

2.1.13 Woven Material shall have a proprietary additive that increases flex crack resistance ASTM D-6182, increases abrasion resistance ASTM D3884-92 and increases seam strength (peel) ASTM D-4851

2.2 Physical Properties – Woven Edging Material

Specification Units ASTM Test Method

2.2.1 Material is 5 ply 40 mil

2.2.2 Weave /Weight 16 x 16, 12 oz/yd²

2.2.3 Tensile Strength 370/345 lbs.

2.2.4 Mullen Burst 675 psi.

2.2.5 Accelerated Weathering >90% strength retention after 2000 hours G-154-06

2.2.6 Accelerated Natural Weathering >80% strength retention after 5 Florida Standard Years

2.2.7 Material shall have minimum 4 mils of LDPE coating with proprietary additive that increases flex crack resistance ASTM D-6182, increases abrasion resistance ASTM D3884-92 and increases seam strength (peel) ASTM D-4851

Kayla



ALTA

ENTERPRISES, INC.
(800) 624-1235

1910 BUSTLE CREEK RD
ALTA, WYOMING 83414

(307) 353-2407

3.1 Manufacturing Processes

3.1.1 All Seams and edging shall be welded. NO thread, sewing/stitching shall be accepted.

3.1.2 Reinforced Ends- One (1) layer of coated 16x16 woven Polyethylene shall be used across each blanket end on top and bottom of cover encapsulating the perimeter.

3.1.3 Grommet Reinforcement- All grommet locations will have two (2) layers of 16x16 woven Polyethylene reinforcement, on the top and bottom of the cover, in the tensile/pull direction.

3.1.3 Grommets – Stainless steel, rolled rim, spur type, size #4 grommet shall be used at three (3) places along each blanket end for covers under 15' wide and five (5) places for covers over 15' wide.

3.1.4 Ballast Edge (option) – Heavy edging material shall be used to form a pocket. There shall be notches cut into the edging to allow water in and out of the pocket. There shall also be #8 holes every 5 feet along the first and last 25 feet of the blanket and every 10 feet in the middle.


3.1.5 Hemmed Edge (option) - One (1) layers of coated, 16x16 woven polyethylene shall be used along the length of each blanket.

4.1 Warranty

4.2 Covers shall carry a (FIVE) 5-year manufactures written limited warranty against defective materials and workmanship.

4.3 Straps, snaps and buckles carry a lifetime replacement warranty.

Marc Jacuzzi
Manufactures' Representative



1310 8th Street
Alameda, CA 94501

510-385-6058
marcjacuzzi@comcast.net

BID PROPOSAL FORM

TO: City of Panama City Beach, Florida

SUBMITTED: 10-17, 2016.

10 Swimming Pool Covers

The Undersigned, as Bidder, hereby declares that they have examined the bid specifications and informed themselves fully in regard to all conditions pertaining to the equipment to be supplied.

The Bidder proposes and agrees, if this proposal is accepted, to contract with the **City of Panama City Beach** for the lump sum prices listed, in full and complete accordance with the shown, noted, described and reasonably intended requirements of the specifications to the full and entire satisfaction of the City of Panama City Beach, Florida, with a definite understanding that no additional money will be allowed for any and all additions. Payment in full will be made to the supplier within 30 days of delivery. The Bidder further proposes and agrees hereby to deliver the 10 Pool covers by No Later than December 1, 2016.

Purchase will be made under terms and conditions specified by City in its form of Purchase Order. If a deposit is required, it must be specified below. Final payment, in readily available funds, will be made upon acceptance by City of strictly conforming goods after delivery. Strict adherence to design specifications is required.

ADDENDUM ACKNOWLEDGMENT: (Only if addendums have been provided).

I, the undersigned bidder, hereby acknowledge receipt of the following addenda:

Addendum No. N/A Addendum No. N/A

LUMP SUM BID PRICE:

Lump sum price for all 10 Swimming Pool Covers including delivery costs in accordance with the contract Specifications:

\$ 18,049.00

Specify Manufacturer and Model # of materials.

(10) T-Star "Energy Saver" XER Swimming Pool Covers Spectrum 12x12
(See attached specifications)

Specify terms of any deposit: N/A

SUPPLIER: The Lifeguard Store

BY: Chris Krump TITLE: Director - Commercial

ADDRESS: 2012 W. Colley Ave CITY: Normal STATE: IL ZIP: 61761

EMAIL ADDRESS: Chris@thelifeguardstore.com PHONE: 224-223-8766

SIGNATURE -- (Confirming all information above is correct)




Pool & Spa Blanket Features

Thermal-King® Pool Covers

Quality, Performance, Strength, Longevity

- Superior strength edging – made with PVC coated tarpaulin
- Advanced performance – 100% stabilized polyester woven 20 x 20 count denier
- Longer life – coated and UV stabilized on both sides for maximum protection
- Extruded black vinyl
- Drain holes punched every 3 feet with weighted edge
- Edging does not chalk or flake
- Flow holes help covers hold in windy environments
- Easy to deploy and retrieve
- Blankets are reversible
- Available in standard and custom sizes
- 305 Stainless steel grommets for maximum corrosion resistance
- UV inhibited loop tie handles
- 5/16" heavy-duty synthetic fiber rope
- Panels come complete with heavy-duty loop ties for attaching the panels to a storage reel system

47129.....Pool Blanket
208200.....Loop Ties
50021.....18" Lead Strap



- 3.0 Mils LDPE, UV protected coating
- Woven 12 x 12 count per inch, UV high density polyethylene
- EVA enhanced insulating polyethylene foam, Volara 1/8"



Spa Covers

Quality, Performance, Strength, Longevity

Spa covers are identical in every way to the pool cover benefits listed above except for the edging, as spa covers come unedged. Using household scissors you can cut them to fit your spa's custom configuration.

500019.....Spa Sheet 10' x 10'
500020.....Spa Sheet 15' x 15'
47129S.....Custom Edged Spa Blanket



INDUSTRY LEADING 6-YEAR WARRANTY AVAILABLE

12 x 12 Pool Cover Product Specification

Material shall be woven 12 x 12 count per inch, high density polyethylene ultraviolet stabilized film fabric, permanently laminated to both sides of 1/8"-thick, closed cell, medium density, white polyethylene foam. The cover polyethylene film shall be coated on the side not laminated to the foam with at least 3 mils UV inhibitor, blue in color. The layers making up the finished blanket shall be non-toxic, non-absorbent, non-permeable, and buoyant.

The edging material shall be PVC Coated Tarpaulin, 100 % stabilized Polyester woven 20 x 20 count 1000D, coated and UV stabilized on both sides. The weighting for the edging shall be extruded black vinyl. The edging system shall have drain holes punched every 3 feet.

- a) Thickness: 1/8" +/- 10% of the total thickness
- b) Foam Density: 2 lbs/ft³ (+/- 10%) (ASTM D-1910)
- c) Tensile Strength: 330 lbs. warp x 290 lbs weft (ASTMD-751, grab)
- d) Weight: .08 lb per square foot (1/8") blanket w/o edging
- e) Tear Strength 80 lbs. warp x 84 lbs. weft (ASTMD-751, Tongue)
- f) UV Weathering: 90% Retained Strength 2000 hours exp. (ASTM G-154)
- g) Service Temp -40F / +180F
- h) K Factor: 0.25 BTU in/hr*ft²*F
- i) Grommet Tear Strength: 1942 (lbf) (minimum) Tension per Section
- j) 12 x 12 HDPE 900D UV tapes (Blanket Surface)

Loop Tie

The Loop tie assembly shall consist of 2 components: A plasticized, non slip, UV inhibited HDPE loop tie handle, and a Spectra HMPE 12 Strand 5/16" Synthetic rope joined to the loop tie handle with two flame sealed knots.

- a) Highest Strength to weight ratio of any rope fiber
- b) Highest Abrasion resistance of any rope fiber in the industry
- c) Tensile Strength: 9000 lbf (Cordage Institute - 1500-97)
- d) Highest resistance to chemicals and PH imbalance of any fiber in the industry
- e) Water proof - Floats in water [Specific Gravity .95]
- f) Heat resistant [Melting point 384 °F]

Grommets

- a) 305 Series Stainless steel passivated to ASTM A967.

Thread Material

- a) Non-wicking, ultra-bonded polyester thread, UV protected
- b) Approximate Single-end Strength 21.2 [lbs]
- c) Melting Point: 480 - 500 [°F]



7100 Spectrum Lane ~ Missoula, Montana 59808

800.791.8056 ~ 406.542.9781

Fax: 406-542-1158

www.spectrumproducts.com

Pool Blanket Panel Care Instructions:

- a) Periodically rinse your panels with non-chlorinated water to remove residue build-up that can potentially break down material. A soft bristled brush can be used with a mild detergent.
- b) Remove all panels prior to shocking pool with chemicals, and closely follow the chemical manufacturers' instructions for pool shocking. Do not replace any panel to water surface until pH and chlorine levels have returned to a level safe for swimmers.
- c) Repair small tears immediately with tarp tape (contact Spectrum for instructions) to keep tears from enlarging.
- d) Always use a storage reel system to deploy and remove all blanket panels. Use only the designated grommets and pull straps, taking care not to drag panels across the pool deck or lane lanes. Doing so may damage the outer protective covering, thereby limiting the life of your pool blanket.
- e) Cover your storage reel system when not in use.
- f) Do not make any unauthorized alterations to your cover. Doing so will void the warranty.

Warranty

- a) 6 Years (Pro Rated) (See blanket warranty)
 - i) Years 1-3: Repair or replacement free of charge (excludes shipping)
 - ii) Year 4: 40% discount on repairs or replacement (excludes shipping)
 - iii) Year 5: 30% discount on repairs or replacement (excludes shipping)
 - iv) Year 6: 20% discount on repairs or replacement (excludes shipping)

Warranty is Void If:

- a) Panel(s) kept on during pool shocking or chemical treatments.
- b) Panel(s) replaced too soon after pool shocking or chemical treatments.
- c) Panel(s) damaged by dragging over objects or equipment, including lane lines.
- d) Panel(s) deployed or removed using something other than designated grommets or pull straps.
- e) Unauthorized alterations are made to the pool panel(s).
- f) Panel(s) stored improperly or folded to the point of creasing.



Pool Blanket Limited Warranty

What is covered by this warranty?

Spectrum Aquatics® warrants all products it manufactures to be free from defects in materials and factory workmanship to the original end user. This warranty is contingent upon the proper use and care of the equipment, and does not cover equipment that has been modified or has been subjected to abusive physical or environmental stresses. **All blankets that are stored on winders outdoors and unprotected from the elements must be covered with a UV protective cover in order to maintain the warranty. Storing blankets outdoors without protection will void all warranties.**

Spectrum Aquatics® agrees to repair or replace, at its sole discretion, any product that fails to perform as specified within the below scheduled timeframe after date of the original shipment from the factory unless otherwise noted. This warranty relates only to defects in materials and workmanship and does not include damage or failure resulting from other causes, including, but not limited to acts of God, misuse or abuse, accident or negligence, fire, improper installation, excessive heat or ice damage, or storage outdoors without a UV blocking cover. This warranty does not apply to fading of materials or to any corrosion of any metallic parts. Damage induced by the improper use of chemicals is not covered by this warranty. In the event that products are altered or repaired by anyone without the prior written approval of Spectrum Aquatics®, all warranties are voided. Failure to operate and maintain the product according to instructions may void the warranty.

Warranty Schedule:

Product	Warranty
10x10 Pool Blanket	3 years
10x14 Pool Blanket	4 years
12x12 Pool Blanket	6 years (3 full, 3 pro-rated)*

**Years 1-3: Repair or replacement free of charge (excludes shipping)
 Year 4: 40% discount on repairs or replacement (excludes shipping)
 Year 5: 30% discount on repairs or replacement (excludes shipping)
 Year 6: 20% discount on repairs or replacement (excludes shipping)*

What will Spectrum do related to the product covered by this warranty?

Provide free of charge (excluding shipping) replacement parts (new or rebuilt at Spectrum's option), but not labor to remove and install parts. Provide, F.O.B. the factory, new or reconditioned replacement product (Spectrum's option).

What is not covered by this warranty?

Normal wear and tear, chemical damage, discoloration, misuse and any physical damage are not included in this warranty. Improper storage of the Pool Blanket System may void this warranty. This warranty does not cover damage caused by chemical action or abrasive material damage caused by handling or during transportation, or damage arising from misuse, installation or any other cause beyond the manufacturer's control. See owner's manual for recommendations related to the use and care of the product.

How to make a warranty claim:

Contact Spectrum Aquatics® at 800-791-8056 or at 7100 Spectrum Lane, Missoula, MT 59808. Please include phone number, contact name and address.

Spectrum Aquatics ~ 7100 Spectrum Lane ~ Missoula, Montana 59808
 800-791-8056 ~ 406-542-9781 Fax: 406-542-1158

www.spectrumaquatics.com

Your Rights Under State Law:

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Spectrum Aquatics® disclaims all liability for damage during transportation, for incidental, special or consequential damage of whatever nature, for damage due to handling, installation, or improper operation, or for damage caused by circumstances beyond Spectrum Aquatics®' control; in no event shall recovery of any kind against Spectrum Aquatics® be greater in amount than the purchase price of the equipment sold by Spectrum Aquatics® that caused alleged damage. Spectrum Aquatics® ***makes no warranties either expressed or implied, including any warranty of merchantability or fitness for particular purpose.*** Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long on implied warranty lasts, so the above exclusions may not apply to you. No representative has authority to change or modify this warranty in any respect.

Pool Blanket Panel Care Instructions:

- a) Periodically rinse your panels with non-chlorinated water to remove residue build-up that can potentially break down material. A soft bristled brush can be used with a mild detergent.
- b) **Remove all panels prior to shocking pool with chemicals**, and closely follow the chemical manufacturers' instructions for pool shocking. Do not replace any panel to water surface until pH and chlorine levels have returned to a level safe for swimmers.
- c) Repair small tears immediately with tarp tape (contact Spectrum for instructions) to keep tears from enlarging.
- d) Always use a storage reel system to deploy and remove all blanket panels. Use only the designated grommets and pull straps, taking care not to drag panels across the pool deck or lane lines. Doing so may damage the outer protective covering, thereby limiting the life of your pool blanket.
- e) Cover your blankets/storage reel system when not in use. If stored outside, blanket must be protected with a UV blocking cover or warranty will be voided.
- f) Do not make any unauthorized alterations to your cover. Doing so will void the warranty.

Warranty is Void If:

- a) Panel(s) kept on during pool shocking or chemical treatments.
- b) Panel(s) replaced too soon after pool shocking or chemical treatments.
- c) Panel(s) damaged by dragging over objects or equipment, including lane lines.
- d) Panel(s) deployed or removed using something other than designated grommets or pull straps.
- e) Unauthorized alterations are made to the pool panel(s).
- f) Panel(s) stored improperly (uncovered outside) or folded to the point of creasing

Questions & concerns regarding the above can be addressed by our Customer Service Department at 1-800-791-8056.

American Pool

4040 Nine McFarland Drive
Suite 1100
Alpharetta, Georgia 30004

Quote

Number
5950

Date
Oct 14, 2016

Bill To
City Of Panama City Beach

P.O.	Terms	Ship Via	Ship Date
Qty	Description	Unit	Ext
1	XER Series T-Star Pool Thermal Cover (10) 16'x75' no cut out covers "Energy Saver" swimming pool covers. Consists of blue-black 12x10 count fabric foam laminate with black weighted indoor edging, reinforced grommets, heavy duty cord dowel pullers and lock stitch seams. Warranty: "Energy Saver" XER six (6) year manufacture's limited warranty. First (3) three years full and last. (3) three pro rated. Learn more at http://thermalpoolcover.com/sixyear.html	25,600.00	25,600.00
1	Freight Charge	2,932.39	2,932.39

Thank You!

Subtotal	\$28,532.39
Tax 7.00%	\$0.00
Total	\$28,532.39